

The Ambulance Service Trans Toolkit

Book 1 - Understanding Trans People: Test Your Knowledge



1. **What percentage of non-binary people have experienced inappropriate curiosity from healthcare staff?**
 - a. 12%
 - b. 22%
 - c. 63%
 - d. 36%
2. **What are the two main types of gender dysphoria someone can experience?**
 - a. Emotional and physical
 - b. Body and social
 - c. Life and mental
 - d. Physical and mental
3. **What is the maximum time some trans people have had to wait to attend their first appointment at a gender clinic?**
 - a. 12 months
 - b. 2 years
 - c. 36 months
 - d. 4 years
4. **What percentage of trans people opt to begin hormone replacement therapy?**
 - a. 61%
 - b. 92%
 - c. 73%
 - d. 81%
5. **After a trans male applies testosterone in gel form how long must he wait until he goes swimming?**
 - a. 30 minutes
 - b. 6 hours
 - c. 8 hours
 - d. 1 hour
6. **You are interacting with a patient and you are not sure how to address them correctly or what pronouns to use. What should you do?**
 - a. Try and make a best guess about which pronouns they use.
 - b. Try to avoid using pronouns all together.
 - c. Politely ask the person how they wish to be addressed or what pronouns to use.
 - d. Check the records you have for them and address them according to their gender on their record.

7. **Currently how many Gender Identity Services are there for adults in the UK?**
- a. 7
 - b. 9
 - c. 16
 - d. 12
8. **Which of these feminising effects may happen to a trans woman within three to six months of her beginning feminising hormones?**
- a. Higher pitch of voice
 - b. Thinning and slowed growth of body and facial hair
 - c. Body fat redistribution
 - d. Mood swings
9. **Which of these masculinising effects may happen to a trans man within three to twelve months of him beginning masculinising hormones?**
- a. Scalp hair loss
 - b. Anger
 - c. Softer skin
 - d. Deepened voice
10. **It's easy to tell if someone is trans.**
- a. True
 - b. False

